

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|------------------|---------|---------------------|
| S2 | 2 | "20020071391".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 03:22 |
| S7 | 271 | (time or duration) near3 (transit or transport or transmission or delay or propagation) near5 (path or route) near5 difference.ab. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 03:26 |
| S8 | 12 | S7 and "370".clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 03:27 |
| S11 | 681 | (time or duration or time \$1stamp) near3 (transit or transport or transmission or transmit\$4 or delay\$3 or propagat\$3 or arrival) near5 (path or route) near5 difference.bsum. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 03:35 |
| S13 | 2 | "US 20070030810" | US-PGPUB; USPAT; USOCR; DERWENT | ADJ | ON | 2009/03/26 03:36 |
| S12 | 138 | S11 and "370".clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 03:36 |
| S14 | 121 | S12 and (@ad<"20040902" or @rlad<"20040902" or @prad<"20040902") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 03:37 |
| S21 | 64 | S20 and (@ad<"20040902" or @rlad<"20040902" or @prad<"20040902") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 03:45 |
| S20 | 90 | S19 near10 (calculat\$3 or comput\$3 or identif\$6 or determin\$3 or obtain\$3) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 03:45 |

| | | | | | | |
|-----|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|-----|----|---------------------|
| S19 | 310 | (time or duration or time \$1stamp) near3 (transit or transport or transmission or transmit\$4 or delay\$3 or propagat\$3 or arrival) near5 (path or route) near5 difference.ab. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 03:45 |
| S23 | 411 | S22 near10 (calculat\$3 or comput\$3 or identif\$6 or determin\$3 or obtain\$3) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 03:50 |
| S22 | 1885 | (time or duration or time \$1stamp) near3 (transit or transport or transmission or transmit\$4 or delay\$3 or propagat\$3 or arrival) near5 (path or route) near5 difference | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 03:50 |
| S25 | 7 | S24 and (@ad<"20040902" or @rlad<"20040902" or @prad<"20040902") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 03:51 |
| S24 | 8 | S23 with (notif\$8 or alarm or event or inform\$3) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 03:51 |
| S27 | 6 | ("6041352" or "5946302" or "5812528").pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 17:28 |
| S28 | 2 | "6580690".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/26 19:50 |
| S30 | 298 | (time or time\$1stamp) near3 (transmission or transmit\$4 or departure or sent or send\$3) near10 (receiv\$3 or receipt or reception or arrival) near5 (path or route) near5 differen\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 11:30 |
| S36 | 4808 | (time or time\$1stamp) near3 (transmission or transmit\$4 or departure or sent or send\$3) near10 (time or time\$1stamp) near3 (receiv\$3 or receipt or reception or arrival) near10 differen\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 11:37 |

| | | | | | | |
|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|-----|----|---------------------|
| S38 | 132 | S37 and (@ad<"20040902" or @rlad<"20040902" or @prad<"20040902") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 11:38 |
| S37 | 155 | (time or time\$1stamp) near3 (transmission or transmit\$4 or departure or sent or send\$3) near10 (time or time\$1stamp) near3 (receiv\$3 or receipt or reception or arrival) near10 differen\$3 near3 (path or rout \$3) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 11:38 |
| S42 | 11 | S37 and (notif\$8 or alarm or event or inform\$3 or report\$3 or display\$3) with threshold | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 11:43 |
| L2 | 4 | 1 and threshold | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 15:58 |
| L1 | 8 | ((US-20070030810-\$ or US-20020071391-\$ or US-20080232242-\$).did. or (US-5241534-\$ or US-5740200-\$ or US-6041352-\$ or US-5946302-\$ or US-6580690-\$). did. | US-PGPUB; USPAT | ADJ | ON | 2009/03/27 15:58 |
| L6 | 6 | L5 and threshold with alarm | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 16:00 |
| L5 | 132 | L3 and (@ad<"20040902" or @rlad<"20040902" or @prad<"20040902") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 16:00 |
| L3 | 155 | (time or time\$1stamp) near3 (transmission or transmit\$4 or departure or sent or send\$3) near10 (time or time\$1stamp) near3 (receiv\$3 or receipt or reception or arrival) near10 differen\$3 near3 (path or rout \$3) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 16:00 |
| L9 | 25 | 8 and (@ad<"20040902" or @rlad<"20040902" or @prad<"20040902") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 16:02 |

| | | | | | | |
|-----|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|-----|----|---------------------|
| L8 | 29 | threshold with alarm with (number or count) with time with difference | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 16:02 |
| L7 | 2333 | threshold with alarm with (number or count) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 16:02 |
| L13 | 45 | 12 and (@ad<"20040902" or @rlad<"20040902" or @prad<"20040902") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 16:08 |
| L12 | 53 | 7 same delay | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 16:08 |
| L10 | 90 | 7 and propagation near3 delay | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 16:08 |
| L14 | 0 | 13 and "370".clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 16:09 |
| L15 | 204 | threshold with (alarm or notify \$3 or notification or report\$3 or inform\$3) with (number or count) same time near10 (difference or transmit\$4 or transmission or delay or propagat\$3 or transit or transport) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 16:12 |
| L17 | 32 | 16 and (@ad<"20040902" or @rlad<"20040902" or @prad<"20040902") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 16:13 |
| L16 | 45 | 15 and "370".clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 16:13 |
| L23 | 8794 | 709/224.cds. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 17:19 |

| | | | | | | |
|-----|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|-----|----|---------------------|
| L22 | 2084 | 370/241.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 17:19 |
| L21 | 1085 | 370/238.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 17:19 |
| L20 | 906 | 370/228.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 17:19 |
| L19 | 1323 | 370/216.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 17:19 |
| L18 | 1238 | 370/242.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 17:19 |
| L27 | 70 | 26 and (@ad<"20040902" or @rlad<"20040902" or @prad<"20040902") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 17:20 |
| L26 | 87 | 24 and L25 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 17:20 |
| L25 | 4808 | (time or time\$1stamp) near3 (transmission or transmit\$4 or departure or sent or send\$3) near10 (time or time\$1stamp) near3 (receiv\$3 or receipt or reception or arrival) near10 differen\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 17:20 |
| L24 | 14712 | 18 or 19 or 20 or 21 or 22 or 23 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/27 17:20 |

3/ 27/ 2009 5:21:20 PM

C:\Documents and Settings\lphung\My Documents\EAST\Workspaces\10571062.wsp